

Package ‘SouthParkRshiny’

March 9, 2024

Title Data and 'Shiny' Application for the Show 'SouthPark'

Version 1.0.0

Description Ratings, votes, swear words and sentiments are analysed for the show 'SouthPark' through a 'Shiny' application after web scraping from 'IMDB' and the website <https://southpark.fandom.com/wiki/South_Park_Archives>.

License MIT + file LICENSE

URL <https://github.com/Amalan-ConStat/SouthParkRshiny>,
<https://amalan-con-stat.shinyapps.io/SouthParkRshiny/>

BugReports <https://github.com/Amalan-ConStat/SouthParkRshiny/issues>

Depends R (>= 2.10)

Imports box, bslib, config (>= 0.3.2), ggplot2, ggpubr, golem (>= 0.4.1), kableExtra, knitr, shiny (>= 1.8.0), shinydashboard

Suggests gridlayout

Additional_repositories <https://amalan-constat.github.io/drat/>

Encoding UTF-8

LazyData true

LazyDataCompression xz

RoxygenNote 7.3.1

NeedsCompilation no

Author Amalan Mahendran [cre, aut]

Maintainer Amalan Mahendran <amalan0595@gmail.com>

Repository CRAN

Date/Publication 2024-03-09 11:10:08 UTC

R topics documented:

Basic_plots	2
N_Grams_plots	3
Ratings_Votes_plots	3
run_app	4
Sentiment_Four_plots	4
Sentiment_General_plots	5
Sentiment_Support_plots	5
SouthPark_IMDB_Data	6
SouthPark_Script_Data	7
Southpark_Summary	7
Swear_Words_plots	8
Index	9

Basic_plots	<i>Basic plots</i>
-------------	--------------------

Description

Average rating and votes summarised in different ways.

Usage

```
Basic_plots
```

Format

A list with

- 1 Number of Votes vs Average Rating
- 2 Number of episodes in seasons and their runtime
- 3 Average ratings and votes for each season

Examples

```
length(Basic_plots)
```

N_Grams_plots	<i>N Grams plots</i>
---------------	----------------------

Description

Three and four word phrases common among seasons, main characters and supporting characters are summarised through a plot here, from the script data.

Usage

```
N_Grams_plots
```

Format

A list with

- 1 Three word phrases over seasons
- 2 Four word phrases over seasons
- 3 Three word phrases over main characters
- 4 Four word phrases over main characters
- 5 Three word phrases over supporting characters
- 6 Four word phrases over supporting characters

Examples

```
length(N_Grams_plots)
```

Ratings_Votes_plots	<i>Ratings Votes plots</i>
---------------------	----------------------------

Description

Detailed plots for ratings and votes from the IMDB data.

Usage

```
Ratings_Votes_plots
```

Format

A list with

- 1 Rating for all seasons and episodes
- 2 Votes for all seasons and episodes

Examples

```
length(Ratings_Votes_plots)
```

```
run_app
```

Run the Shiny Application

Description

Run the Shiny Application

Usage

```
run_app(...)
```

Arguments

... list of golem options.

Value

used for side effects

```
Sentiment_Four_plots
```

Sentiment Four plots

Description

Number of positive and negative words based on bing,nrc,loughran among the main four characters per season are summarised through a plot here, from the script data.

Usage

```
Sentiment_Four_plots
```

Format

A list with

- 1 positive words from bing over seasons
- 2 negative words from bing over seasons
- 3 positive words from nrc over seasons
- 4 negative words from nrc over seasons
- 5 positive words from loughran over seasons
- 6 negative words from loughran over seasons

Examples

```
length(Sentiment_Four_plots)
```

```
Sentiment_General_plots
```

Sentiment General plots

Description

Number of positive and negative words based on bing,nrc,loughran among the seasons are summarised through a plot here, from the script data.

Usage

```
Sentiment_General_plots
```

Format

A list with

- 1 positive words from bing over seasons
- 2 negative words from bing over seasons
- 3 positive words from nrc over seasons
- 4 negative words from nrc over seasons
- 5 positive words from loughran over seasons
- 6 negative words from loughran over seasons

Examples

```
length(Sentiment_General_plots)
```

```
Sentiment_Support_plots
```

Sentiment Support plots

Description

Number of positive and negative words based on bing,nrc,loughran among the supporting characters per season are summarised through a plot here, from the script data.

Usage

```
Sentiment_Support_plots
```

Format

A list with

- 1 positive words from bing over seasons
- 2 negative words from bing over seasons
- 3 positive words from nrc over seasons
- 4 negative words from nrc over seasons
- 5 positive words from loughran over seasons
- 6 negative words from loughran over seasons

Examples

```
length(Sentiment_Support_plots)
```

SouthPark_IMDB_Data	<i>SouthPark IMDB Data Data from the IMDB website are extracted for the show. The data consists of season, episode, primarytitle, originaltitle, year, runtime(in minutes), averagerating and number of votes.</i>
---------------------	--

Description

SouthPark IMDB Data Data from the IMDB website are extracted for the show. The data consists of season, episode, primarytitle, originaltitle, year, runtime(in minutes), averagerating and number of votes.

Usage

```
SouthPark_IMDB_Data
```

Format

A dataframe with

Season Season Number
 Episode Episode Number
 PrimaryTitle primary title of the episode
 OriginalTitle original title of the episode
 Year year the episode was aired
 Runtime runtime in minutes
 AverageRating average rating out of 10
 NumberOfVotes number of votes recorded

Examples

```
sort(unique(SouthPark_IMDB_Data$Season)) # the seasons of the show
mean(SouthPark_IMDB_Data$AverageRating) # the average rating of the show
sum(SouthPark_IMDB_Data$NumberOfVotes) # sum of the number of votes
```

SouthPark_Script_Data *SouthPark Script Data*

Description

Data for the scripts scraped from the website are stored here. The data consists of season, episode, character and line.

Usage

```
SouthPark_Script_Data
```

Format

A dataframe with

- Season Season Number
- Episode Episode Number
- Character Character Name
- Line The lines the character spoke

Examples

```
unique(SouthPark_Script_Data$Season) # the seasons of the show
unique(SouthPark_Script_Data$Character) |> length() # the unique characters in the show
```

Southpark_Summary *SouthPark Summary*

Description

Overall summary plot from the script data.

Usage

```
Southpark_Summary
```

Format

A dataframe with

- Trivia trivial information labels
- Values data for the trivial information

Swear_Words_plots *Swear words plots*

Description

Swear word plots for main and supporting characters per seasons. Total number of words and unique words are summarised through plots.

Usage

```
Swear_Words_plots
```

Format

A list with

- 1 Swear words in general
- 2 Swear words for main characters
- 3 Swear words for supporting characters

Examples

```
length(Swear_Words_plots)
```


Index

* datasets

- Basic_plots, [2](#)
- N_Grams_plots, [3](#)
- Ratings_Votes_plots, [3](#)
- Sentiment_Four_plots, [4](#)
- Sentiment_General_plots, [5](#)
- Sentiment_Support_plots, [5](#)
- SouthPark_IMDB_Data, [6](#)
- SouthPark_Script_Data, [7](#)
- Southpark_Summary, [7](#)
- Swear_Words_plots, [8](#)

Basic_plots, [2](#)

N_Grams_plots, [3](#)

Ratings_Votes_plots, [3](#)

run_app, [4](#)

Sentiment_Four_plots, [4](#)

Sentiment_General_plots, [5](#)

Sentiment_Support_plots, [5](#)

SouthPark_IMDB_Data, [6](#)

SouthPark_Script_Data, [7](#)

Southpark_Summary, [7](#)

Swear_Words_plots, [8](#)