

# Package ‘hetsurrSurv’

August 28, 2024

**Type** Package

**Title** Assessing Heterogeneity in Surrogacy Using Censored Data

**Version** 1.0

**Date** 2024-08-18

**Description** Provides functions to assess and test for heterogeneity in the utility of a surrogate marker with respect to a baseline covariate using censored (survival data), and to test for heterogeneity across multiple time points. More details are available in Parast et al (2024) <[doi:10.1002/sim.10122](https://doi.org/10.1002/sim.10122)>.

**License** GPL

**Imports** stats, Rsurrogate, MASS, groc

**NeedsCompilation** no

**Author** Layla Parast [aut, cre]

**Maintainer** Layla Parast <[parast@austin.utexas.edu](mailto:parast@austin.utexas.edu)>

**Depends** R (>= 3.5.0)

**Repository** CRAN

**Date/Publication** 2024-08-28 08:10:09 UTC

## Contents

example.data . . . . .	2
R.main.estimate . . . . .	2
test.multiplet . . . . .	4

<b>Index</b>	<b>6</b>
--------------	----------

---

`example.data`*Example data*

---

**Description**

Example data

**Usage**`data("example.data")`**Format**

A list with 10 elements representing 2000 observations from a treatment group and 1500 observations from a control group:

`s1` the surrogate marker in the treatment group

`s0` the surrogate marker in the control group

`w1` the baseline covariate of interest in the treatment group

`w0` the baseline covariate of interest in the control group

`d1` the event indicator in the treatment group

`d0` the event indicator in the control group

`x1` the observed event time in the treatment group

`x0` the observed event time in the control group

`w1_cat` the discrete baseline covariate of interest in the treatment group

`w0_cat` the discrete baseline covariate of interest in the control group

**Examples**

```
data(example.data)
names(example.data)
```

---

`R.main.estimate`*Estimates the proportion of treatment effect explained by the surrogate marker as a function of a baseline covariate*

---

**Description**

Assesses heterogeneity in the utility of a surrogate marker with respect to a baseline covariate using censored (survival data) by estimates the proportion of treatment effect explained by the surrogate marker as a function of a baseline covariate, `w`

**Usage**

```
R.main.estimate(xone, xzero, deltaone, deltazero, sone, szero, wone, wzero, w.grd, myt,
landmark, type = "cont", var = FALSE, test = FALSE, extrapolate = TRUE, h.0 = NULL,
h.1 = NULL, h.w = NULL, h.s = NULL, h.w.1 = NULL)
```

**Arguments**

xone	x1, observed event time in the treated group
xzero	x0, observed event time in the control group
deltaone	delta1, event indicator in the treated group
deltazero	delta0, event indicator in the control group
sone	s1, surrogate marker in the treated group
szero	s0, surrogate marker in the control group
wone	w1, baseline covariate in the treated group
wzero	w0, baseline covariate in the control group
w.grd	grid for w where estimation will be provided
myt	t of interest
landmark	t0, landmark time
type	options are "cont" or "discrete"; type of baseline covariate, default is "cont"
var	TRUE or FALSE, if variance/standard error estimates are wanted
test	TRUE or FALSE, if test for heterogeneity is wanted
extrapolate	TRUE or FALSE
h.0	bandwidth
h.1	bandwidth
h.w	bandwidth
h.s	bandwidth
h.w.1	bandwidth

**Value**

A list is returned:

w.values	grid for w where estimation is provided
R.s.w	The proportion of treatment effect explained as a function of the baseline covariate, w
delta.w	The treatment effect as a function of the baseline covariate, w
delta.s.w	The residual treatment effect as a function of the baseline covariate, w
sd.R	Standard error estimate of R.s.w
sd.delta	Standard error estimate of delta.w
sd.delta.s	Standard error estimate of delta.s.w
pval.omnibus	p-value from the omnibus test for heterogeneity
pval.con	p-value from the conservative omnibus test for heterogeneity

**Author(s)**

Layla Parast

**References**

Parast L, Tian L, Cai, T. (2024) "Assessing Heterogeneity in Surrogacy Using Censored Data." *Statistics in Medicine*, 43(17): 3184-3209.

**Examples**

```
data(example.data)
names(example.data)
R.main.estimate(xone=example.data$x1, xzero=example.data$x0, deltaone=example.data$d1,
deltazero=example.data$d0, sone=log(example.data$s1), szero=log(example.data$s0),
wone=log(example.data$w1), wzero=log(example.data$w0),
w.grd=log(seq(0.1,0.9, length=25)), myt=1, landmark=0.5)
R.main.estimate(xone=example.data$x1, xzero=example.data$x0, deltaone=example.data$d1,
deltazero=example.data$d0, sone=log(example.data$s1), szero=log(example.data$s0),
wone=example.data$w1_cat, wzero=example.data$w0_cat,
myt=1, landmark=0.5,type = "discrete", w.grd = c(1,2,3,4))
#computationally intensive

R.main.estimate(xone=example.data$x1, xzero=example.data$x0, deltaone=example.data$d1,
deltazero=example.data$d0, sone=log(example.data$s1), szero=log(example.data$s0),
wone=log(example.data$w1), wzero=log(example.data$w0),
w.grd=log(seq(0.1,0.9, length=25)), myt=1, landmark=0.5, test=TRUE)
```

test.multiplet

*Tests for heterogeneity across multiple timepoints***Description**

Tests for heterogeneity across multiple timepoints

**Usage**

```
test.multiplet(t.mult, xone, xzero, deltaone, deltazero, sone, szero, wone,
wzero, w.grd, landmark, extrapolate = TRUE, h.0 = NULL, h.1 = NULL, h.w = NULL,
h.s = NULL, h.w.1 = NULL,type = "cont")
```

**Arguments**

t.mult	Vector of time points
xone	x1, observed event time in the treated group
xzero	x0, observed event time in the control group
deltaone	delta1, event indicator in the treated group

deltazero	delta0, event indicator in the control group
sone	s1, surrogate marker in the treated group
szero	s0, surrogate marker in the control group
wone	w1, baseline covariate in the treated group
wzero	w0, baseline covariate in the control group
w.grd	grid for w where estimation will be provided
landmark	t0, landmark time
extrapolate	TRUE or FALSE
h.0	bandwidth
h.1	bandwidth
h.w	bandwidth
h.s	bandwidth
h.w.1	bandwidth
type	options are "cont" or "discrete"; type of baseline covariate, default is "cont"

**Value**

A list is returned:

pval.multi	p-value for omnibus test
pval.con.multi	p-value for conservative omnibus test (only applicable for continuous W)

**Author(s)**

Layla Parast

**References**

Parast L, Tian L, Cai, T. (2024) "Assessing Heterogeneity in Surrogacy Using Censored Data." *Statistics in Medicine*, 43(17): 3184-3209.

**Examples**

```
data(example.data)
names(example.data)
#computationally intensive

test.multiplet(t.mult = c(1,1.25,1.5), xone=example.data$x1, xzero=example.data$x0,
deltaone=example.data$d1, deltazero=example.data$d0, sone=log(example.data$s1),
szero=log(example.data$s0), wone=log(example.data$w1), wzero=log(example.data$w0),
w.grd=log(seq(0.1,0.9, length=25)), landmark=0.5)
```

# Index

`example.data`, [2](#)

`R.main.estimate`, [2](#)

`test.multiplet`, [4](#)